0	71
7	(Y)
	_

SUPPLEMENTAL Notice of Allowability

Application No.	Applicant(s)	Applicant(s)	
40/047 073			
10/017,973	OSHIMA ET AL.		
Examiner	Art Unit		
PAUL CALLAHAN	2137		

Examiner	Art Unit	
PAUL CALLAHAN	2137	
(OR REMAINS) CLOSED in or other appropriate commu GHTS. This application is s	this application. If not in inication will be mailed in	cluded due course. THIS
<u>/06 and 3/26/07</u> .		
been received. been received in Application cuments have been received of this communication to file ENT of this application.	n No. <u>08/560,015</u> If in this national stage ap a reply complying with the	e requirements
on's Patent Drawing Review Amendment / Comment or 84(c)) should be written on the header according to 37 CF sit of BIOLOGICAL MATE	in the Office action of ne drawings in the front (no R 1.121(d). ERIAL must be submitt	·
 6. ☐ Interview St Paper No./ 7. ☐ Examiner's 8. ☒ Examiner's 	ummary (PTO-413), Mail Date Amendment/Comment Statement of Reasons fo	r Allowance
	PAUL CALLAHAN Pars on the cover sheet with (OR REMAINS) CLOSED in or other appropriate communication is sand MPEP 1308. PAUS And 3/26/07. Part of this communication to file in the same in the sam	PAUL CALLAHAN Pars on the cover sheet with the correspondence at (OR REMAINS) CLOSED in this application. If not in or other appropriate communication will be mailed in GHTS. This application is subject to withdrawal from and MPEP 1308. Pole and 3/26/07. Pole and 3/26/07. Pole and and an

Application/Control Number: 10/017,973 Page 2

Art Unit: 2137

DETAILED ACTION

1. Claims 36-39 are pending in the instant application and have been examined.

Terminal Disclaimer

2. The terminal disclaimer filed on April 1, 2003 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of US Patent 5,761,301 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Information Disclosure Statement

3. The information disclosure statements, submitted on June 5, 2006, and on March 27, 2007, are in compliance with the provisions of 37 CFR 1.97 and have been considered by the Examiner. The references provided therein are not found to have any effect on the previously indicated allowability of the claims.

Allowable Subject Matter

- 4. Claims 36-39 are allowed.
- 5. The following is an examiner's statement of reasons for allowance:

The closest prior art in the field, Kato (US 4,503,531) and Ikeda (US 5,050,150), fail to teach the features found in the claimed invention of an optical disc and a method for manufacturing the disc, comprising: an information recording layer having a track of

Art Unit: 2137

spiral shape and formed between a first and second substrate, where there is a data recording area, in combination with a barcode pattern formed *on* the track, and where the barcode pattern and data recording area are readable by light radiation.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul E. Callahan whose telephone number is (571) 272-3869. The examiner can normally be reached on M-F from 9 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the Examiner's supervisor, Emmanuel Moise, can be reached on (571) 272-3865. The fax phone number for the organization where this application or proceeding is assigned is: (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

Application/Control Number: 10/017,973

Art Unit: 2137

Page 4

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Paul Callahan/ February 25, 2007

/Emmanuel L. Moise/ Supervisory Patent Examiner, Art Unit 2137